



NEXEDGE® VHF/UHF
Digital & FM Mobile Radios

NX-700 / 800

As smart in operation as they are in looks, these NX-700/800 radios feature everything necessary to take full advantage of both digital and analog operating modes. Mobile users will appreciate the large dot-matrix LCD, intuitive controls and multi-scan capabilities.

Features

- 30/50 W (136–174 MHz) Model
- 30/45 W (400/470, 450–520 MHz) Models
- 512-CH-GID / 128 Zones
- 14 Character Alphanumeric Aliases
- Dash & Remote Mount
- Programmable Function Keys
- Dual Priority Scan
- Emergency/AUX Keys
- Enhanced KENWOOD Audio
- DB-25 Accessory Connector
- Cloning
- Voice inversion scrambler
- Front Panel Test & Tune
- Easy Option Port
- MIL-STD 810 C/D/E/F
- MIL-STD "Driven-Rain"
- FM Conventional & LTR Included

- NXDN Conventional Included
 - Trunking Options Available
 - FleetSync®/II digital signaling system includes PTT ID digital ANI (FM)
 - Multi-Site IP Network Compatible
 - MPT Option
-

General Features

MODELS

- Model Type 1: 700 (136–174 MHz), 800 (450–520 MHz)
- Model Type 2: 800 (400–470 MHz)
- Model Type 3: –
- RF Power Output: 30 W – 1 W
- Channel/Zone Capability: 512 CH / 128 Zones
- Mounting Options: Multiple Configurations

KEYS & SWITCHES

- Up/Down Selectors: 4 Selectors
- Front Keys: 6 PF Keys
- AUX I/O's: 9 Programmable + 2 O

GENERAL FEATURES & PROGRAMMING

- LCD: Backlit Dot Matrix LCD
- 3-Digit Sub-Display: Yes
- Function/Status LCD Icons: Yes
- Alphanumeric Aliases: 14 Character
- Date, 12/24 Hour Clock: Yes
- Transmit/Busy/Call Alert/Warn LED: Yes
- Multi-Language Display: Yes
- Ignition Sense: Yes
- Public Address / Horn Alert Option: Yes
- GPS Receiver Option: Yes
- Dimensions (W x H x D): 6.30 x 1.77 x 6.18 in.
- Weight (net) – Radio Only: 3.04 lbs.
- MIL-STD: MIL-STD-810 C/D/E/F/G
- 800 MHz: –
- KENWOOD LTR Features: Yes

DIGITAL

- NXDN: Yes
- P25: Optional

FleetSync® /II (FM)

- FleetSync Capable: Yes
- Caller ID Display: Yes
- Short Text Messages: Yes
- Status Messaging: Yes